ELSEVIER

Volume 113, Issues 1–3, 15 June 2001

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

Preface 1

Obituary: Prof. Kobayashi 2
S. Inaba

Development of a drilling burr control chart for low alloy steel, AISI 4118 4
S. Min, J. Kim, D.A. Dornfeld

Problems of accuracy control in cold forming 10
K. Kuzman

Bulk forming

Tool lubricating systems in warm forging 16
S. Sheljaskow

Effect of the surface structure on the resistance to plastic deformation of a hot forging tool 22
H. Saiki, Y. Marumo, A. Minami, T. Sonoi

A flexible shear spinning of truncated conical shells with a general-purpose mandrel 28
K. Kawai, L.-N. Yang, H. Kudo

Cost effective implementation of forging simulation 34
N. Biba, S. Stebounov, A. Lishiny

Recent development and applications of three-dimensional finite element modeling in bulk forming processes 40
G. Li, J.T. Jinn, W.T. Wu, S.I. Oh

Analyses of plane-strain upsetting by the rigid–plastic domain-boundary element method 46
Y.-M. Guo, K. Nakanishi

FEM simulation of the flat-die preform forging of steel shaft–disc type components by thermal differential heating. 52
M. Hua, S.Q. Lu

Process modification of bevel gear forging using three-dimensional finite element analysis 59
Y.K. Lee, S.R. Lee, C.H. Lee, D.Y. Yang

The micro-formability of Zr-based amorphous alloys in the supercooled liquid state and their application to micro-dies. 64
Y. Saotome, S. Miwa, T. Zhang, A. Inoue

Analysis of the milli-forming of single-crystal and poly-crystal bar 70
Y.I. Kim, K.S. Sim, E.G. Yoh, Y.S. Lee, H.J. Park, K.H. Na

Processing of single crystals for high temperature applications. 75
R.H. Zee, Z. Xiao, B.A. Chin, J. Liu

The utility of radially and ultrasonically vibrated dies in the wire drawing process. 81
M. Murakawa, M. Jin

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

Elsevier Science B.V.

The process sequence design of a power-assisted steering part 87
D.-H. Jang, T.-K. Ryou, D.-Y. Yoon, B.-B. Hwang

3D flow analysis inside shear and streamlined extrusion dies for feeder plate design 93
B.V. Mehta, I. Al-Zkeri, J.S. Gunasekera, A. Buijk

The lateral extrusion of copper pipes with a lost core of low temperature melting alloy 98
T. Ohashi, K. Matsui, Y. Saotome

A UBET analysis of non-axisymmetric forward and backward extrusion 103
H.I. Lee, B.C. Hwang, W.B. Bae

The influence of die geometry on the radial extrusion processes. 109
B.D. Ko, D.J. Kim, S.H. Lee, B.B. Hwang

The finite element analysis on planetary rolling process 115
C.-K. Shih, C. Hung, R.-Q. Hsu

Approximate analysis of roll force in a round–oval–round pass rolling sequence 124
Y. Lee, Y.H. Kim

Optimization of the irregular shape rolling process with an artificial neural network. 131
D.J. Kim, Y.C. Kim, B.M. Kim

The forming characteristics of radial–forward extrusion. 136
Y.S. Lee, S.K. Hwang, Y.S. Chang, B.B. Hwang

The forming characteristics of radial–backward extrusion 141
H.-J. Choi, J.-H. Choi, B.-B. Hwang

Application of nimonic 80A to the hot forging of an exhaust valve head. 148
D.K. Kim, D.Y. Kim, S.H. Ryu, D.J. Kim

Finite element modeling of the deformation behavior of semi-solid materials. 153
J.-H. Yoon, Y.-T. Im, N.-S. Kim

Composites

An investigation into the performance of solar cured adhesive bonded joints 160
P.K.D.V. Yarlagadda, L.A. Stoynov, I.-S. Kim

Effect of extrusion compounding on the mechanical properties of rubber-toughened polymers containing short glass fibers 167
G. Sui, S.-C. Wong, C.-Y. Yue

A composite cantilever arm for guiding a moving wire in an electrical discharge wire cutting machine 172
C.S. Lee, J.H. Oh, D.G. Lee, J.H. Choi

Damping characteristics of composite hybrid spindle covers for high speed machine tools 178
J.D. Suh, S.H. Chang, D.G. Lee, J.K. Choi, B.S. Park

Applications of fixed and variable frequency microwave (VFM) facilities in polymeric materials processing and joining 184
H.S. Ku, F. Siu, E. Siores, J.A.R. Ball, A.S. Blicblau

A statistical experimental study of the injection molding of optical lenses. 189
X. Lu, L.S. Khim

Manufacture of composite screw rotors for air compressors by RTM process. 196
J.D. Suh, D.G. Lee

The fabrication process and mechanical properties of SiC_p/Al–Si metal matrix composites for automobile air-conditioner compressor pistons 202
H.S. Lee, J.S. Yeo, S.H. Hong, D.J. Yoon, K.H. Na

Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry. 209
K.G. Bang, J.W. Kwon, D.G. Lee, J.W. Lee

Casting, welding, brazing and rapid prototyping

Wide gap brazing of stainless steel to nickel-based superalloy 215
X.W. Wu, R.S. Chandel, H.P. Seow, H. Li

Joining of austenitic stainless steel and ferritic stainless steel to sialon 222
P. Hussain, A. Isnin

Infrared sensing techniques for penetration depth control of the submerged arc welding process 228
H.C. Wikle III, S. Kottilingam, R.H. Zee, B.A. Chin

Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam. 234
W.J. Han, J.G. Byeon, K.S. Park

The flowability of bentonite bonded green molding sand . . . 238
Y. Chang, H. Hocheng

Modeling of the thermal history of the sand casting process . . . 245
S. Sulaiman, A.M.S. Hamouda

Experimental investigation of semi-solid casting and die design by thermal fluid-solidification analysis . . . 251
C.G. Kang, Y.I. Son, S.W. Youn

Numerical analysis of secondary cooling and bulging in the continuous casting of slabs . . . 257
J.S. Ha, J.R. Cho, B.Y. Lee, M.Y. Ha

On the improvement of the stereolithography (SL) process . . . 262
A.Y.C. Nee, J.Y.H. Fuh, T. Miyazawa

Direct metal laser sintering for rapid tooling: processing and characterisation of EOS parts . . . 269
M.W. Khaing, J.Y.H. Fuh, L. Lu

Development of a direct metal freeform fabrication technique using CO_2 laser welding and milling technology . . . 273
D.-S. Choi, S.H. Lee, B.S. Shin, K.H. Whang, Y.A. Song, S.H. Park, H.S. Jee

Development of a composite suitable for rapid prototype machining . . . 280
M.Y. Yang, S.G. Ryu

A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM . . . 285
D.S. Choi, S.H. Lee, B.S. Shin, K.H. Whang, K.K. Yoon, S.E. Sarma

A high speed twin roll caster for aluminum alloy strip . . . 291
T. Haga, S. Suzuki

Deformation behaviour of aluminium single crystals in ultraprecision diamond turning . . . 296
S. To, W.B. Lee

Electrochemical micro-machining: new possibilities for micro-manufacturing . . . 301
B. Bhattacharyya, B. Doloi, P.S. Sridhar

Development of an expert system for turning and rotating tool selection in a dynamic environment . . . 306
R. Mookherjee, B. Bhattacharyya

Material removal and cutting

Tool wear monitoring during the turning process . . . 312
J. Kopač, S. Šali

Tool wear study in a lathe made of cementitious material . . . 317
M. Rahman, M.A. Mansur, S.H. Lau

Selected examples of cutting process monitoring and diagnostics . . . 322
A. Sokołowski, J. Kosmol

A monitoring technique using a multi-sensor in high speed machining . . . 331
M.C. Kang, J.S. Kim, J.H. Kim

Dynamic elastic–plastic analysis of 3D deformation in abrasive waterjet machining . . . 337
A.I. Hassan, J. Kosmol

Development of a practical ultrasonic vibration cutting tool system . . . 342
M. Jin, M. Murakawa

Ductile cutting of tungsten carbide . . . 348
K. Liu, X.P. Li

The application of micro-groove machining for the mold of PDP barrier ribs . . . 355
I.-H. Cho, S.-C. Jeong, J.-M. Park, H.-D. Jeong

Investigation of chip formation in high speed end milling . . . 360
Y. Ning, M. Rahman, Y.S. Wong

An adaptive three-dimensional finite element algorithm for the orthogonal cutting of composite materials . . . 368
M. Mahdi, L. Zhang

A finite element model for the orthogonal cutting of fiber-reinforced composite materials . . . 373
M. Mahdi, L. Zhang

A new method for determining the undeformed chip thickness in milling . . . 378
H.Z. Li, K. Liu, X.P. Li

New development of a grinding wheel with resin cured by ultraviolet light . . . 385
T. Tanaka, Y. Isono

Analysis of burr formation in drilling with a new-concept drill 392
S.-L. Ko, J.-K. Lee

Prediction of contour accuracy in the end milling of pockets 399
K.M.Y. Law, A. Geddam

Evaluation of the thermal characteristics in high-speed ball-end milling 406
S.W. Kim, C.M. Lee, D.W. Lee, J.S. Kim, Y.H. Jung

Simulation of surface roughness and profile in high-speed end milling 410
K.Y. Lee, M.C. Kang, Y.H. Jeong, D.W. Lee, J.S. Kim

Computer aided techniques

Applications of virtual manufacturing in materials processing 416
W.B. Lee, C.F. Cheung, J.G. Li

Assessing the environmental impact of materials processing techniques using an analytical hierarchy process method 424
S.K. Ong, T.H. Koh, A.Y.C. Nee

Initial process-parameters setting of transfer moulding in microchip encapsulation: a case-based reasoning approach 432
K.W. Tong, C.K. Kwong, C.Y. Chan

Neural network analysis of experimental data for air/water spray cooling 439
M.S.A. Oliveira, A.C.M. Sousa

Powder forming and ceramics

Processing and characterization of metal–ceramics functionally gradient materials 446
J. Ma, G.E.B. Tan

Processing of thermally stable doped perovskite PZT ceramics 450
G.H.L. Wong, B.W. Chua, L. Li, M.O. Lai

RF plasma processing of ultra-fine hydroxyaptite powders 456
R. Kumar, P. Cheang, K.A. Khor

The effect of Fe doping on the sintering behavior of commercial CeO_2 powder 463
Z. Tianshu, P. Hing, H. Huang, J. Kilner

Synthesis of ternary intermetallics by exothermic reaction 469
T. Sritharan, S. Murali

Thermal diffusivity of pure and impurity-doped titanium dioxides ceramics 474
F. Fang, P. Hing, J.T. Oh, H.S. Fong, X. Chen, M. Wu

The influence of PMMA content on the properties of 316L stainless steel MIM compact 477
M.A. Omar, H.A. Davies, P.F. Messer, B. Ellis

Sintering technology research of Fe_3Al/Al_2O_3 ceramic composites 482
K. Sun, A. Li, X. Cui, Y. Yin, P. Li

An experimental study on the optimization of powder forging process parameters for an aluminum-alloy piston 486
J.-O. Park, K.-J. Kim, D.-Y. Kang, Y.-S. Lee, Y.-H. Kim

Metallurgy, thermo-mechanical treatments and coatings

Effect of the deposition parameters on the properties of the two-layer surface coatings obtained using magnetron sputtering. . . . 493
L.A. Dobrzański, W. Kwaśny, R. Shishkov, J. Madejski

The shot-peening effect on the HCF behavior of high-strength martensitic steels 502
A.M. Eleiche, M.M. Megahed, N.M. Abd-Allah

Study of the surface layer formed by the laser processing of Ti–6Al–4V alloy in a dilute nitrogen environment 509
M.S. Selamat, T.N. Baker, L.M. Watson

Intermetallic coatings produced by TIG surface melting 516
S. Mridha, H.S. Ong, L.S. Poh, P. Cheang

Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters 521
L.J. Yang

Comparison of the thermal fatigue resistance and structure of the 47CrMoWVTiCeZr16-26-8 hot-work tool steel with X40CrMoV5-1 type one 527
L.A. Dobrzański, J. Mazurkiewicz, E. Hajduczek, J. Madejski

Fatigue life of cold-forging dies with various values of hardness 539
Y.-C. Lee, F.-K. Chen

Effects of surface treatments and lubricants for warm forging die life 544
D.J. Jeong, D.J. Kim, J.H. Kim, B.M. Kim, T.A. Dean

Deformation and annealing textures of drawn Al–Mg–Si alloy tubes. 551
H. Park, D.N. Lee

A new empirical formula for the calculation of M_S temperatures in pure iron and super-low carbon alloy steels 556
C. Liu, Z. Zhao, D.O. Northwood, Y. Liu

Effect of TiC in copper–tungsten electrodes on EDM performance 563
L. Li, Y.S. Wong, J.Y.H. Fuh, L. Lu

Microstructural characteristics and mechanical properties of hypo-eutectic and hyper-eutectic Al–Si alloys in the semi-solid forming process. 568
H.K. Jung, P.K. Seo, C.G. Kang

Viscoplastic behaviour of porous bronzes and irons 574
B. Wang, J.R. Klepaczko, G. Lu, L.X. Kong

Prediction of the flow stress and grain size of steel during thick-plate rolling 581
J.-J. Park

Retained austenite in dual-phase silicon steels and its effect on mechanical properties 587
M.H. Saleh, R. Priestner

The influence of hot forging conditions on the microstructure and mechanical properties of two microalloyed steels 594
M. Jahazi, B. Eghbali

Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels 599
W.H. Sohn, S.H. Hong, C.K. Kim

Bundling and drawing processing of Cu–Nb microcomposites with various Nb contents 604
J.H. Chung, J.S. Song, S.I. Hong

Heavily drawn Cu–Fe–Ag and Cu–Fe–Cr microcomposites 610
J.S. Song, S.I. Hong, H.S. Kim

Finite element analysis of high pressure torsion processing 617
H.S. Kim

Plastic deformation analysis of metals during equal channel angular pressing 622
H.S. Kim, M.H. Seo, S.I. Hong

Tube and sheet metal forming

Effects of lap sheets on the improvement of the formability of metal foil 627
Y. Marumo, H. Saiki, A. Onoue

Development of high-speed superplastic Al alloy by the MA process using Al foil. 632
T. Ishikawa, N. Yukawa, Y. Yoshida, K. Murakami

An in-situ incremental microforming system for three-dimensional shell structures of foil materials 636
Y. Saotome, T. Okamoto

Microdeep drawability of very thin sheet steels 641
Y. Saotome, K. Yasuda, H. Kaga

The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet 648
T. Naka, G. Torikai, R. Hino, F. Yoshida

The formability of aluminum sheet in incremental forming 654
M.-S. Shim, J.-J. Park

A new technology to improve the $\bar{r}$-value of interstitial-free (IF) steel sheet 659
Z. Wang, X. Wang

A study on the improvement of formability for elliptical deep drawing processes. 662
D.H. Park, S.S. Kang, S.B. Park

Design sensitivity analysis and optimization of the hydroforming process 666
J.-B. Yang, B.-H. Jeon, S.-I. Oh

Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion. 673
L.P. Lei, B.S. Kang, S.J. Kang

The application of AI techniques in the optimal design of multi-pass cold drawing processes 680
G. Celano, S. Fichera, L. Fratini, F. Micari

The effect of the drawbead dimensions on the weld-line movements in the deep drawing of tailor-welded blanks 686
Y.M. Heo, S.H. Wang, H.Y. Kim, D.G. Seo

Evaluation of the mechanical properties of welded metal in tailored steel sheet welded by CO_2 laser 692
B.Y. Ghoo, Y.T. Keum, Y.S. Kim

A design method for rectangular hollow sections in bending 699
F. Paulsen, T. Welo, O.P. Søvik

FEM simulation of surface smoothing in the ironing process 705
Z. Wang, K. Dohda, Y. Jeong

3D rigid–plastic FEM numerical simulation on tube spinning. 710
Y. Xu, S.H. Zhang, P. Li, K. Yang, D.B. Shan, Y. Lu

The parametric process design of tension levelling with an elasto-plastic finite element method. 714
H. Huh, H.W. Lee, S.R. Park, G.Y. Kim, S.H. Nam

Influence of the punch profile on the limitation of formability in the hole-flanging process. 720
Y.-M. Huang, K.-H. Chien

A unified test for evaluating material parameters for use in the modelling of sheet metal forming 725
K.P. Rao, E.V.R. Mohan

Quantitative characterization of the surface topography of cold rolled sheets — new approaches and possibilities 732
G.F. Batalha, M. Stipkovic Filho

A study on the flow forming of cylindrical tubes 739
K.S. Lee, L. Lu

Plastic bending of adhesive-bonded sheet metals 743
M. Takiguchi, F. Yoshida

Milli-component forming of rectangular cup drawing 749
T.-W. Ku, S.-M. Hwang, B.-S. Kang

Numerical simulation of the superplastic moving die forming process with a modified membrane finite element method 754
K.S. Lee, H. Huh

Analysis of the deformation of a perforated sheet under thermal and tension load using finite element method 761
S.-K. Park, J. Kim, Y.-C. Chang, B.-S. Kang

Design modification in a multi-stage rectangular cup drawing process with a large aspect ratio by an elasto-plastic finite element analysis. 766
S.-H. Kim, S.-H. Kim, H. Huh

A parametric study on forming length in roll forming. 774
S. Hong, S. Lee, N. Kim

Finite element inverse analysis for the design of intermediate dies in multi-stage deep-drawing processes with large aspect ratio 779
S.H. Kim, S.H. Kim, H. Huh

The bending of an aluminum structural frame with a rubber pad 786
H.C. Kwon, Y.T. Im, D.C. Ji, M.H. Rhee

Author Index 792
Subject Index 794